

JUN 0 2 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

OFFICIAL

In re Application of: Ranish, et al.	Group Art Unit: 1734
Application No: 10/773,850 Confirmation No: 7636	Examiner: Unknown
Filed: 02/05/2004	Attorney Docket No: 008341 USA/CPS/IBSS/LAP
Title: THERMALLY MATCHED SUPPORT RING FOR SUBSTRATE PROCESSING CHAMBER	June 2, 2004 San Francisco, California

CORRECTION TO FILING RECEIPT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

VIA FACSIMILE
(703) 872-9306

Sir/Madam:

Applicant respectfully requests the Patent Office to correct the Filing Receipt and forward a corrected copy to Applicant.

The amount of independent claims was incorrectly listed in the filing receipt as 4. Please correct the amount of independent claims to 3. If you have charged our client Applied Material's deposit account No. 50-1074 for independent claims in excess of 3 due to this error, please credit the same deposit account with the appropriate amount.

Please also correct the title to read "THERMALLY MATCHED SUPPORT RING FOR SUBSTRATE PROCESSING CHAMBER". The letter "E" at the end of "SUBSTRATE" was missing in the filing receipt.

I hereby certify that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office at (703) 872-9306 on the date shown below.

By: 
Mike Sultan, J.D.

Date: June 2, 2004

S:\CLIENT\APPLIED\FCR\8341\correction.001.doc

000041 USACF510300LAP

Appk No. 10773.650

Page 2 of 2

If you have any questions regarding the above correction, please do not hesitate to telephone the Applicant's representative at the number listed below.

Respectfully submitted,
JANAH & ASSOCIATES, P.C.

Date: June 2, 2004

By: _____



Ashok K. Janah
Reg. No. 67,487

Please direct all telephone calls to:
Ashok K. Janah
(415) 530-1555

Please continue to send all correspondence to:
Applied Materials, Inc.
Patent Department, M/S 2061
P.O. Box 450A
Santa Clara, CA 95052

S:\CLIENT\APPLIED\FOR\8341\correction.001.doc